

Cross-Domain Assurance for Future-Adaptive Intelligent and Engineering Systems

INTERNAL REFERENCE MATERIAL

Abstract

This internal reference article examines cross-domain assurance patterns shared by intelligent and engineered systems through a design-and-assurance lens. It synthesizes the allocated target literature without reporting new experiments, observations, or performance estimates. The analysis treats the practical unit of review as an evidence-backed claim linked to components, users, environments, and governance controls. That framing keeps technical mechanisms, evidence quality, user consequences, and institutional controls visible in the same argument. Particular attention is given to which assurance patterns transfer across domains and which remain domain-specific. The review distinguishes what each cited source directly addresses from the cross-domain principles used for internal comparison. It argues that credible adoption depends on traceable requirements, context-sensitive evaluation, explicit uncertainty, and a documented path for human intervention. The result is a structured reference for teams considering internal portfolio review and interdisciplinary design governance, especially where superficial analogy and unsupported transfer of evidence could turn a technically plausible component into an unreliable system. The article is intended to support scoping, design review, and evidence planning; it is not a claim of product readiness or an original empirical study.

Keywords. assurance cases, resilience, forecasting, human-centered AI, environmental health, governance

1. Introduction

Work on cross-domain assurance patterns shared by intelligent and engineered systems often begins with a promising component: a material, model, mechanism, representation, or policy control. Operational value, however, emerges only when that component is connected to a defined decision and a credible chain of evidence. For this article, the relevant system is an evidence-backed claim linked to components, users, environments, and governance controls. This broader boundary prevents local optimization from being mistaken for overall effectiveness. It also makes it possible to ask who interprets an output, which environmental conditions matter, what failure looks like, and what evidence would justify escalation from exploratory work to routine use.

The review is analytical rather than empirical. It does not pool effect sizes, reproduce experiments, or infer unreported numerical results. Instead, it compares the problem formulations in the allocated sources and asks how their mechanisms, representations, and governance choices can inform which assurance patterns transfer across domains and which remain domain-specific. Cross-domain sources are included only as design comparators. Their role is to reveal recurring questions—such as controllability, traceability, measurement validity, and reviewability—while preserving the substantive limits of each field.

A useful starting distinction is between component performance and system fitness. Component performance concerns whether a defined transformation works under stated conditions. System fitness concerns whether the transformation supports a legitimate task under expected variability, with acceptable error costs and recoverable failure. In internal portfolio review and interdisciplinary design governance, both levels matter. A strong component can still fail when labels drift, exposure settings change, users over-trust an interface, or governance records cannot reconstruct why a decision

occurred.

2. Background and Evidence Boundaries

The evidence chain can be organized into five linked claims. First, the input must represent the phenomenon of interest with known limitations. Second, the component must implement a mechanism that is plausible for the task. Third, evaluation must use endpoints aligned with the eventual decision. Fourth, deployment conditions must not invalidate the earlier evidence. Fifth, oversight must detect and respond when those conditions no longer hold. These claims should be documented separately because confidence in one does not automatically transfer to the others.

For cross-domain assurance patterns shared by intelligent and engineered systems, the most common boundary error is to treat a convenient proxy as the final objective. A laboratory transport measure is not the same as long-term field performance; a benchmark label is not the same as an operator's diagnosis; an engagement signal is not the same as user welfare; and a compliance alert is not proof of misconduct. Internal review should therefore record the construct, the proxy, the decision threshold, and the consequences of false positive and false negative outcomes before comparing systems.

Tang et al. (2024) examine an osmotic-pressure-regulated sodium alginate–graphene oxide hydrogel as a forward-osmosis draw agent. In this review, the source is used as a mechanism-level comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights coupling material composition to a defined transport role. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Wang, Pei, and Jiang (2024) study desalination driven by a temperature gradient coupled with surface wettability in a graphene channel. In this review, the source is used as a mechanism-level comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights analyzing interacting boundary conditions rather than isolated material properties. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Chen et al. (2025) propose VoRec, which brings Voronoi structure into hyperbolic-space recommendation. In this review, the source is used as a mechanism-level comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights making representation geometry part of the recommendation hypothesis. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Shen and Han (2026) analyze psychometric misalignment in open-weight language models used as synthetic patients on PHQ-9 and GAD-7 instruments. In this review, the source is used as a mechanism-level comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights testing construct alignment rather than accepting fluent responses as valid measurement. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Wang et al. (2026, forecasting study) frame time-series forecasting around guidance supplied at the representation level. In this review, the source is used as a mechanism-level comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights placing

supervision inside the learned state rather than only at the final prediction. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Li et al. (2025) present TCM-DS for language-model-assisted recommendation of edible traditional Chinese medicine herbal formulas. In this review, the source is used as a mechanism-level comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights placing domain constraints and recommendation rationale around generative output. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Fan et al. (2025) analyze residential VOCs from building materials in relation to exposures, health risks, and ambient hazards. In this review, the source is used as a mechanism-level comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights tracing a hazard from material source through indoor exposure to risk interpretation. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Xiong et al. (2026) describe VividTalker as a modular 3D talking-avatar framework with controllable gaze and blink. In this review, the source is used as a mechanism-level comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights separating expressive channels so that behavior can be controlled and audited. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Tao et al. (2026, data-governance study) propose a scalable data-governance architecture for privacy-aware intelligent learning systems. In this review, the source is used as a mechanism-level comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights making data controls persistent across an evolving learning lifecycle. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

3. Architecture, Mechanisms, and Decision Interfaces

Architecture should expose how information or physical state moves from input to action. A practical map includes acquisition, preprocessing, representation or transport, inference or transformation, decision logic, actuation, feedback, and retention. Each transition needs an owner and an observable state. When a module is described as “intelligent,” “multifunctional,” or “resilient,” the review should translate that adjective into testable responsibilities: what signal is received, what change is made, what constraint applies, and what evidence is retained.

The decision interface deserves the same attention as the underlying component. Interfaces allocate authority. They determine whether an output is advisory or automatic, whether uncertainty is visible, and whether a reviewer can access the evidence needed to disagree. For which assurance patterns transfer across domains and which remain domain-specific, the interface should show the scope of the claim and the conditions under which it is invalid. A calibrated abstention or deferral path is often more valuable than a forced answer because it prevents low-confidence outputs from silently becoming operational facts.

Yang et al. (2025) review radical-based photocatalytic routes to ketones from carboxylic acids and their derivatives. In this review, the source is used as a system-architecture comparator for cross-

domain assurance patterns shared by intelligent and engineered systems: it highlights mapping reaction pathways, inputs, and selectivity claims before translation. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Qasim et al. (2026) present β -FeOOH as a dual-function photo-Fenton system spanning hydrogen generation and pollutant degradation. In this review, the source is used as a system-architecture comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights evaluating multi-functionality without collapsing distinct output and safety criteria. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Xiao (2026) addresses wafer-defect detection through a machine-learning algorithmic framing. In this review, the source is used as a system-architecture comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights aligning model outputs with an industrial inspection decision. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Shen et al. (2026) study supervised fine-tuning of compact language models for children's reading stories with controllable difficulty and safety. In this review, the source is used as a system-architecture comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights treating audience suitability and safety as controllable design dimensions. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Feng et al. (2024) offer a design-oriented resilience measurement and evaluation method organized as a resilience cube. In this review, the source is used as a system-architecture comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights making resilience dimensions usable during design rather than only after disruption. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Huang et al. (2021) measure road-dust trace-element mass fractions as a function of distance from the road. In this review, the source is used as a system-architecture comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights preserving spatial context in exposure-source interpretation. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Zhang and Yong (2026) study the relationship between government accounting supervision and insider trading in China. In this review, the source is used as a system-architecture comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights treating oversight as an intervention whose behavioral pathway must be examined. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Liu et al. (2026, aesthetic-evaluation study) approach aesthetic evaluation through multimodal annotation and fine-grained sentiment analysis. In this review, the source is used as a system-architecture comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights retaining annotation granularity when aggregating subjective judgments. This is

a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Sculley et al. (2015) identify system-level technical debt patterns specific to deployed machine learning. In this review, the source is used as a system-architecture comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights including dependencies, feedback loops, and configuration in assurance scope. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

4. Evaluation, Applications, and Governance

Evaluation should follow the decision pathway rather than stop at a single technical score. A layered plan includes analytical validity, robustness under plausible variation, decision utility, human-factors performance, and post-deployment monitoring. Metrics should be disaggregated by operating regime whenever aggregate values could conceal a consequential failure mode. For physical systems, regimes may include temperature, pressure, contamination, or wear. For learning systems, they may include subgroup, language, content type, data age, or interaction context.

Governance is not an administrative layer added after technical design. It specifies allowed purposes, evidence thresholds, review rights, retention periods, and change-control obligations. A useful control is linked to a concrete hazard and a verifiable record. For example, access control is incomplete without purpose limitation and logging; a human-in-the-loop claim is incomplete without time, information, authority, and workload to intervene. The central risk in this article—superficial analogy and unsupported transfer of evidence—therefore requires both preventative design and a recovery procedure.

Wang et al. (2022, tapered-channel study) use simulation to investigate a tapered multilayer-graphene channel as a reverse-osmosis desalination membrane. In this review, the source is used as a governance-and-evaluation comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights treating geometry as an explicit part of transport-system design. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Wang et al. (2025, ZnGa₂O₄ separator study) describe a nanoporous ZnGa₂O₄-modified separator as a multifunctional polysulphide barrier for lithium–sulfur batteries. In this review, the source is used as a governance-and-evaluation comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights assigning each material modification a traceable functional requirement. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Xiao, Song, and Chen (2026) present DLA-Net for mixed-type wafer-map defect recognition using dynamic label awareness and dual-branch feature fusion. In this review, the source is used as a governance-and-evaluation comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights representing label interaction and complementary visual evidence explicitly. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

You et al. (2023) study an oil-immersed torque motor for a two-dimensional valve. In this review, the source is used as a governance-and-evaluation comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights co-designing an actuator with its operating

medium and controlled mechanism. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Zhang et al. (2026, e-bike study) examine e-bikes, heat adaptation, and climate-resilient urban mobility through mediation analysis. In this review, the source is used as a governance-and-evaluation comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights distinguishing an observed mobility relationship from its proposed adaptation pathway. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Wang et al. (2024, public-transport VOC study) examine VOC concentrations and short-term health effects across subway, bus, and taxi environments in Beijing. In this review, the source is used as a governance-and-evaluation comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights comparing exposure settings without erasing mode-specific conditions. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Liu et al. (2026, MOSAIC study) present MOSAIC as a cognitively motivated, interpretable, training-free multi-agent framework for empathetic dialogue. In this review, the source is used as a governance-and-evaluation comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights decomposing a human-facing capability into inspectable agent roles. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Tao et al. (2026, content-moderation study) outline a deep-learning-based automated content-moderation framework for online platforms. In this review, the source is used as a governance-and-evaluation comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights combining scalable screening with explicit policy, review, and appeal boundaries. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

Raji et al. (2020) define an end-to-end framework for internal algorithmic auditing. In this review, the source is used as a governance-and-evaluation comparator for cross-domain assurance patterns shared by intelligent and engineered systems: it highlights connecting audit activities to the full system lifecycle. This is a bounded use of the citation. It does not imply that evidence from one domain validates outcomes in another; instead, it makes the design assumption available for explicit review.

5. Implementation Implications and Challenges

Teams applying this synthesis should begin with a compact assurance case. The top claim states the bounded use: what the system is intended to support, for whom, and under which conditions. Subclaims cover input adequacy, mechanism validity, evaluation relevance, operator usability, and governance effectiveness. Each subclaim points to evidence and records remaining uncertainty. This structure makes disagreements productive because reviewers can challenge a specific link rather than accept or reject an entire technology category.

Change management is particularly important. Materials age, environments shift, data distributions evolve, policies are revised, and users adapt to interfaces. A release decision should therefore include monitoring triggers and revalidation criteria. Examples include a change in source material, sensor calibration, label definition, demographic mix, model dependency, moderation policy, or legal

purpose. Monitoring is useful only if a threshold leads to an assigned action such as investigation, rollback, retraining, maintenance, or notification.

Procurement and partnership reviews should ask for evidence at the same granularity. Broad claims of accuracy, efficiency, safety, or privacy are insufficient when the operating conditions are unclear. Reviewers should request dataset or material provenance, test protocols, uncertainty reporting, known exclusions, change logs, and incident procedures. Where evidence cannot be shared, the limitation should be treated as unresolved risk rather than filled with assumptions.

6. Discussion

A comparative reading of the sources supports three general observations. First, representations matter: geometry, labels, molecular structure, temporal state, and policy taxonomy all shape what a system can express. Second, controllability matters: temperature, wettability, model routing, generation difficulty, expressive channels, and review thresholds are useful only when operators can observe and adjust them. Third, governance matters: technical outputs acquire consequences through institutional decisions, so auditability and appeal are properties of the complete workflow.

These observations do not create a universal metric. Domain-specific evidence remains indispensable. A psychometric instrument cannot be validated by a materials study, and a transport exposure study cannot establish the safety of a recommendation model. The value of cross-domain comparison is narrower: it reveals questions that every design team should answer in its own evidentiary language. This limitation is especially important for cross-domain assurance patterns shared by intelligent and engineered systems, where superficial transfer could magnify rather than reduce superficial analogy and unsupported transfer of evidence.

The strongest internal position is therefore conditional. A component may be promising for a stated function while the surrounding evidence remains incomplete. Recording that distinction avoids both premature rejection and premature deployment. It also creates a practical research agenda: identify the missing claim, select an aligned method, define an acceptance threshold, and preserve the decision record.

7. Conclusion

This internal review has examined cross-domain assurance patterns shared by intelligent and engineered systems as part of an evidence-bearing socio-technical or engineering system. The synthesis emphasizes explicit boundaries, mechanism-aware architecture, decision-aligned evaluation, and governance that remains effective as conditions change. For internal portfolio review and interdisciplinary design governance, readiness should be judged through a traceable chain from inputs and representations to actions, consequences, monitoring, and recovery. The allocated literature provides concrete design comparators, but no cross-domain citation is treated as substitute evidence. The immediate practical recommendation is to build a bounded assurance case before committing to scale, and to keep unresolved assumptions visible until domain-appropriate evidence closes them.

References

- Chen, Y., Li, L., Peng, W., & Su, S. (2025). VoRec: Enhancing Recommendation with Voronoi Diagram in Hyperbolic Space. In Proceedings of the 48th International ACM SIGIR Conference on Research and Development in Information Retrieval.
- Fan, Y., Hu, C., Wang, Z., Wang, H., Zhang, R., Jiang, D., He, X., Li, L., Wolfson, J. M., Xiong, J., Huang, S., Zhang, Y., & Koutrakis, P. (2025). Residential VOC from building materials: Exposures, health risks, and

ambient hazards. *Sustainable Cities and Society*, 119, 106080.

- Feng, Q., Liu, M., Dui, H., Cai, B., Fan, D., Ren, Y., & Wang, Z. (2024). A general design-oriented resilience measurement and evaluation method for engineering systems: Resilience cube. *Reliability Engineering & System Safety*, 245, 110038.
- Huang, S., Taddei, P., Lawrence, J., Martins, M. A., Li, J., & Koutrakis, P. (2021). Trace element mass fractions in road dust as a function of distance from road. *Journal of the Air & Waste Management Association*, 71(2), 137-146.
- Li, X., He, H., Lu, G., Yue, P., Chen, J., Yang, Z., & Hon, C. (2025). TCM-DS: A large language model for intelligent traditional Chinese medicine edible herbal formulas recommendations. *Chinese Medicine*, 20, 191.
- Liu, K., Xiong, H., Zhang, J., & Peng, M. (2026). MOSAIC: A Cognitively Motivated Multi-Agent Framework for Interpretable and Training-Free Empathetic Dialogue. *Electronics*, 15(10), 2078.
- Liu, K., Xiong, H., Zhang, J., & Peng, M. (2026). Unifying Aesthetic Evaluation via Multimodal Annotation and Fine-Grained Sentiment Analysis. *Big Data and Cognitive Computing*, 10, 37.
- Qasim, M., Tianzhen, W., Rizvi, A., & Alzahrani, H. A. H. (2026). Dual-function akaganeite (β -FeOOH) a photo-Fenton system for hydrogen generation and pollutant degradation. *Arabian Journal of Chemistry*, 0, 1.
- Raji, I. D., Smart, A., White, R. N., Mitchell, M., Gebru, T., Hutchinson, B., Smith-Loud, J., Theron, D., & Barnes, P. (2020). Closing the AI accountability gap: Defining an end-to-end framework for internal algorithmic auditing. In *Proceedings of the 2020 Conference on Fairness, Accountability, and Transparency* (pp. 33–44). Association for Computing Machinery. <https://doi.org/10.1145/3351095.3372873>
- Sculley, D., Holt, G., Golovin, D., Davydov, E., Phillips, T., Ebner, D., Chaudhary, V., Young, M., Crespo, J.-F., & Dennison, D. (2015). Hidden technical debt in machine learning systems. *Advances in Neural Information Processing Systems*, 28.
- Shen, Q., & Han, Y. (2026). The Reliability Illusion in Synthetic Patients: Psychometric Misalignment of Open-weight LLMs on PHQ-9 and GAD-7. In *Proceedings of the 10th Workshop on Computational Linguistics and Clinical Psychology (CLPsych 2026)* (pp. 88–99). Association for Computational Linguistics.
- Shen, Q., Cao, F., Yao, M., Gilda, S., Dorr, B., & Leite, W. (2026). Children's English Reading Story Generation via Supervised Fine-Tuning of Compact LLMs with Controllable Difficulty and Safety. In *Proceedings of the 21st Workshop on Innovative Use of NLP for Building Educational Applications (BEA 2026)* (pp. 751–765). Association for Computational Linguistics.
- Tang, B., Gao, S., Gui, C., Luo, Q., Wang, T., Huang, K., Huang, L., & Jiang, H. (2024). Osmotic pressure regulated sodium alginate-graphene oxide hydrogel as a draw agent in forward osmosis desalination. *Desalination*, 586, 117863.
- Tao, J., Lyu, R., & Cao, X. (2026). A Deep Learning-Based Automated Content Moderation Framework for Online Platforms. *Future-Adaptive Intelligence and Lifelong Systems*, 1(1).
- Tao, J., Lyu, R., & Cao, X. (2026). A Scalable Data Governance Architecture for Privacy-Aware Intelligent Learning Systems in Lifelong. *Future-Adaptive Intelligence and Lifelong Systems*, 1(1).
- Wang, J., Fan, L., Li, B., & Zhang, L. (2026). Forecasting with Guidance: Representation-Level Supervision for Time Series Forecasting. *arXiv preprint arXiv:2603.24262*.
- Wang, T., Chen, B., Shao, X., Zheng, H., Hu, X., & Jiang, H. (2022). Simulations of Tapered Channel in Multilayer Graphene as Reverse Osmosis Membrane for Desalination. *Journal of Wuhan University of Technology-Mater. Sci. Ed.*, 37, 314–323.
- Wang, T., Pei, J., & Jiang, H. (2024). Desalination Driven by Temperature Gradient Coupled with Surface Wettability in a Graphene Channel. *Industrial & Engineering Chemistry Research*, 63(49), 21565–21571.
- Wang, Z., Li, W., Wang, T., Pang, M., Kong, Z., An, J., Li, Z., Ye, J., & Xia, G. (2025). Nanoporous ZnGa₂O₄-modified separator as a multifunctional polysulphide barrier for advanced lithium-sulfur batteries. *Electrochemistry Communications*, 107990.
- Wang, Z., Zhang, X., Wang, L., Fu, S., Wu, J., Xiong, J., & Huang, S. (2024). Concentrations and short-term health effects of VOCs in explored subway, bus and taxi in Beijing, China. *Atmospheric Environment*, 339, 120855.
- Xiao, F. (2026, March). Research on Wafer Defect Detection Algorithm Based on Machine Learning. In *2026 9th*

- International Conference on Advanced Algorithms and Control Engineering (ICAACE) (pp. 577-581). IEEE.
- Xiao, F., Song, Y., & Chen, J. (2026, May). DLA-Net: Dynamic Label-Aware Network with Dual-Branch Feature Fusion for Mixed-Type Wafer Map Defect Recognition. In 2026 6th International Conference on Electronics, Circuits and Information Engineering (ECIE) (pp. 72-78). IEEE.
- Xiong, H., Zhang, J., Wang, Z., Pan, T., & Hu, Q. (2026). VividTalker: A Modular Framework for Expressive 3D Talking Avatars with Controllable Gaze and Blink. In ICASSP 2026 - 2026 IEEE International Conference on Acoustics, Speech and Signal Processing (ICASSP).
- Yang, S., Wang, X., Bao, L., Wang, T., Wu, L., & Wang, Q. (2025). Photocatalytic ketone synthesis: Recent advances in radical-based approaches from carboxylic acids and derivatives. *Organic Chemistry Frontiers*, 12, 6662.
- You, Y., Zhao, J., Song, Z., Ruan, J., & Li, S. (2023). Study of novel oil-immersed torque motor for two-dimensional valve. *Machines*, 11(3), 343.
- Zhang, L., & Yong, F. (2026). The impact of government accounting supervision on insider trading in China. *Borsa Istanbul Review*, 26(1), 1–14. Article 100764.
- Zhang, Y., Du, P., Ma, W., Liu, Q., Sarvi, M., & Li, Y. (2026). E-bikes enhance climate resilient urban mobility through heat adaptation as revealed by mediation analysis. *Communications Earth & Environment*, 7, 234.